



Net-Bee Zig



Net-Bee Zig is a simple, but powerful controller for home or industrial wireless applications. The **Net-Bee controller** gives designers **2.4GHz ZigBee** connectivity in a low-cost, high-performance single-board, rich with Digital and Analog I/O's, large data memory that designers need for embedded control and monitoring applications.

Design your applications with an easy to use integrated **C** compiler designed specifically for Net-Bee Wireless Controller. Use the included Libraries to speed up your development.

Features:

- Small Size: 52x33x15mm.
- Microchip PIC18F24K20 controller@64MHz.
- 16KB Flash of User Memory Applications.
- 2.4 GHz ZigBee RF Module.
- Free space range:
 - a. **Net-Bee Zig - 300m**
 - b. **Net-Bee Zig Pro - 1.3km.**
- Internal antenna for **Net-Bee**.
- Antenna connector for **Net-Bee Pro**.
- 3 Protected Digital Inputs ($\pm 250v$ Surges).
- 3 channels, 10-bit A/D Inputs.
- SPDT Relay Output.
- Battery Operation - **20 μ A** in Sleep Mode.
- Wake-Up on External triggers.
- Normal and Sleep Mode operation.
- Up to 65000 nodes on a Network.

Specification:

Power Requirement

Input Voltage Range	8-16 VDC
Input Current, ZigBee Off@32kHz	20 μ A@12Vdc
Input Current, Zigbee Transmitting	65 mA@12Vdc
Input Current, Zigbee Pro Transmitting	300 mA@12Vdc

Inputs Characteristic

Number of inputs	3
Number of commons	1
Input impedance	6.6KOhm
Input voltage "ON" level	2.5 – 40 Vdc
Surge protection	± 250 V

Analog Characteristic

Number of channels	3
Input Range	0-5 Vdc or 4-20mA: on input 3
Resolution	10-bit
Conversion Time	6 μ S

Output Characteristic

Type of Output	Dry contact.
Rating	50Vdc@0.5A




What is ZigBee protocol:


The ZigBee™ protocol is a wireless network protocol specifically designed for low data rate sensors and control networks. There are a number of applications that can benefit from the ZigBee protocol including, but not limited to:

- Building Automation Networks,
- Home security systems,
- Industrial control networks,
- Remote metering.

When compared against other wireless protocols, the ZigBee wireless protocol offers low complexity, reduced resource requirements and, most importantly, a standard set of specifications.




Net-Bee Wireless Controller





J1 User Pin Description:



Pin Number	Pin Description	Pin Number	Pin Description
1	Input 1	2	Input 2
3	Input 3	4	Common
5	4-20mA Jumper	6	4-20mA Jumper
7	Common	8	Common
9	Power (+)	10	Power (-)

Net-Bee Zig Applications:

- **Industrial Automation:**
 - Monitoring,
 - Sensors,
 - Controls
- **Building Automation:**
 - Security,
 - Lighting,
 - HVAC,
 - Access and Closures
- **Medical/Healthcare:**
 - Sensor Monitors,
 - Diagnostics,
 - Dispensing
- **Home Automation:**
 - Security,
 - Lighting,
 - Appliance Control,
 - HVAC
- **Instrumentation:**
 - Remote Monitoring,
 - Remote Meter Reading

UControl Solutions, Israel

Tel: +972-52-400608

www.U-Controls.com

UControl@U-Controls.com